


Application No. 10/036,469

IN THE CLAIMS:


Please substitute amended claim 16 for pending claim 16 as follows:

Application No. 10/036,469

16. (Amended) A crosslinked or chain extended polymer formed by crosslinking or chain extending a precursor polymer of the formula




or



wherein x is an integer of 0 or 1, P is a functional group which imparts photosensitivity to the precursor polymer, a , b , c , and d are each integers of 0, 1, 2, 3, or 4, provided that at least one of a , b , c , and d is equal to or greater than 1 in at least some of the monomer repeat units of the precursor polymer, A is


Application No. 10/036,469

β₁
C₁








Application No. 10/036,469

or mixtures thereof, B is




Application No. 10/036,469


1
B
C

wherein v is an integer of from 1 to about 20,





Application No. 10/036,469



wherein z is an integer of from 2 to about 20,




wherein u is an integer of from 1 to about 20,



Application No. 10/036,469

wherein w is an integer of from 1 to about 20,



or mixtures thereof, and n is an integer representing the number of repeating monomer units, said crosslinking or chain extension occurring through linking groups formed by a reaction between epoxy groups contained on at least some of the monomer repeat units of the precursor polymer and an amine curing agent, wherein the photosensitivity-imparting substituents "P" are allyl ether groups, epoxy groups, or mixtures thereof.

Application No. 10/036,469

Please add the following new claims:

57. (New) A polymer according to claim 16 wherein the value of n is such that the weight average molecular weight of the precursor polymer prior to crosslinking or chain extension is from about 1,000 to about 100,000.

58. (New) A polymer according to claim 16 wherein the value of n is such that the weight average molecular weight of the precursor polymer prior to crosslinking or chain extension is from about 1,000 to about 65,000.

59. (New) A polymer according to claim 16 wherein the value of n is such that the weight average molecular weight of the precursor polymer prior to crosslinking or chain extension is from about 1,000 to about 40,000.

60. (New) A polymer according to claim 16 wherein the value of n is such that the weight average molecular weight of the precursor polymer prior to crosslinking or chain extension is from about 3,000 to about 25,000.

61. (New) A polymer according to claim 16 wherein n is an integer of from about 2 to about 70.

Application No. 10/036,469

62. (New) A polymer according to claim 16 wherein n is an integer of from about 5 to about 70.

63. (New) A polymer according to claim 16 wherein n is an integer of from about 8 to about 50.

64. (New) A polymer according to claim 16 wherein the precursor polymer has a degree of substitution of on average from about 0.5 to about 2 photosensitivity-imparting groups per monomer repeat unit.


65. (New) A polymer according to claim 16 wherein the precursor polymer has a degree of substitution of on average from about 0.5 to about 1.5 photosensitivity-imparting groups per monomer repeat unit.

66. (New) A polymer according to claim 16 wherein the precursor polymer has a degree of substitution of from about 0.8 to about 1.8 milliequivalents of allyl ether or epoxy groups per gram of precursor polymer.

Application No. 10/036,469


is

67. (New) A polymer according to claim 33 wherein B




is

68. (New) A polymer according to claim 33 wherein B




is

69. (New) A polymer according to claim 33 wherein B




Application No. 10/036,469

70. (New) A polymer according to claim 33 wherein B
is



71. (New) A polymer according to claim 33 wherein B
is



wherein z is an integer of from 2 to about 20.